

Index to Volume 48, 2002

Pages of the *Australian Journal of Physiotherapy* are numbered consecutively through all four issues.

		Pages
No 1	March	1-64
No 2	June	65-164
No 3	September	165-248
No 4	December	249-332

AUTHOR INDEX

A

Ackermann B, Adams R and Marshall E: The effect of scapula taping on electromyographic activity and musical performance in professional violinists. 48: 197-204.

Ada L and Foongchomcheay: Efficacy of electrical stimulation in preventing or reducing subluxation of the shoulder after stroke: A meta-analysis. 48: 257-267.

Adams R: See Ackermann B et al

Allen Y: See Fowler B et al

Allison G, Cross W, Galea M, Herbert R, Hodges P, Grimmer K and Maher C: Editorial: More than skin deep. 48: 69-70.

B

Badr C, Elkins MR and Ellis ER: The effect of body position on maximal expiratory pressure and flow. 48: 95-102.

Barrett C and Smerdely P: A comparison of community-based resistance exercise and flexibility exercise for seniors. 48: 215-219.

Best MO: See Cromie JE et al

Boland R: See Refshauge KM et al

Burns Y: See Hwang R et al

C

Chang A, Paratz J and Rollston J: Ventilatory effects of neurophysiological facilitation and passive movement in patients with neurological injury. 48: 305-310.

Chipchase LS: See Laakso et al

Cromie JE, Robertson VJ and Best MO: Occupational health in physiotherapy: General health and reproductive outcomes. 48: 287-294.

Crosbie J, Gass E, Jull G, Morris M, Rivett D, Ruston S, Sheppard L, Sullivan J, Vujnovich A, Webb G and Wright T: Editorial: Sustainable undergraduate education and professional competency. 48: 5-7.

Cross W: See Allison G et al

D

Davidson M: The interpretation of diagnostic tests: A primer for physiotherapists. 48: 227-233.

E

Elkins MR: See Badr et al

Ellis ER: See Badr et al

F

Ferreira ML, Ferreira PH, Latimer J, Herbert R and Maher CG: Does spinal manipulative therapy help people with chronic low back pain? 48: 277-284.

Ferreira PH: See Ferreira ML et al

Foongchomcheay A: See Ada and Foongchomcheay

Fowler B, Jamrozik K, Norman P, Allen Y and Wilkinson E: Improving maximum walking distance in early peripheral arterial disease: Randomised controlled trial. 48: 269-275.

G

Galea MP: See Allison G et al

Gass E: See Crosbie J et al

Gilbert A: See Grimmer K et al

Glase WM, Allen MK and Ludewig PM: Measuring forefoot alignment with a table-mounted goniometric device. 48: 51-53.

Gordon SJ, Trott P and Grimmer KA: Waking cervical pain and stiffness, headache, scapular or arm pain: Gender and age effects. 48: 9-15.

Grimmer K, Kumar S, Gilbert A and Milanese S: Non-steroidal anti-inflammatory drugs (NSAIDs): Physiotherapists' use, knowledge and attitudes. 48: 82-92.

Grimmer KA: See Gordon SJ et al

Grimmer K: See Allison G et al

H

Herbert RD: See Moseley AM et al

Herbert R: See Allison G et al

Herbert R: See Ferreira ML et al

Hodges P: See Allison G et al

Hwang R, Kentish M and Burns Y: Hand positioning sense in children with spina bifida myelomeningocele. 48: 17-22.

I

Isles R: See Low Choy N et al

J

Jamrosik K: See Fowler B et al

Jesudason C and Stiller K: Are bed exercises necessary following hip arthroplasty? 48: 73-81.

Jull G, Magarey M, Niere K and Elvey R: Physiotherapy, a responsible profession to use cervical manipulation. Response to Refshauge et al. 48: 180-183.

Jull G: See Crosbie J et al

Jull G: Use of high and low velocity cervical manipulative therapy procedures by Australian manipulative physiotherapists. 48: 189-193.

K

Kenny DT: See Schonstein E et al

Kentish M: See Hwang R et al

Kumar S: See Grimmer K et al

Kuys S: See Low Choy N et al

L

Laakso EL, Robertson VJ and Chipchase LS: Editorial: The place of electrophysical agents in Australian and New Zealand entry-level curricula: Is there evidence for their inclusion? 48: 251-254.

Larsen D: See Refshauge KM et al

Latimer J: See Maher CG et al

Latimer J: See Ferreira ML et al

Litchfield R and MacDougall C: Professional issues for physiotherapists in family-centred and community-based settings. 48: 105-112.

Low Choy N, Kuys S, Richards M and Isles R: Measurement of functional ability following traumatic brain injury using the Clinical Outcomes Variable Scale: A reliability study. 48: 35-39.

Lunn R: See Pontifex E et al

M

McBurney H: See Oldmeadow LB et al

MacDougall C: See Litchfield R and MacDougall C

Maher CG, Latimer J and Starkey I: An evaluation of Superthumb and the Kneeshaw device as manual therapy tools. 48: 25-30.

Maher C: See Allison G et al

Maher CG: See Moseley AM et al

Maher CG: See Schonstein E et al

Maher CG: See Ferreira ML et al

Marshall E: See Ackermann B et al

Milanese S: See Grimmer K et al

Morris M: See Crosbie J et al

Moseley AM, Herbert RD, Sherrington C and Maher CG: Evidence for physiotherapy practice: A survey of the Physiotherapy Evidence Database (PEDro). 48: 43-49.

Moseley L: Combined physiotherapy and education is efficacious for chronic low back pain. 48: 297-302.

N

Norman P: See Fowler B et al

O

Oldmeadow LB, McBurney H and Robertson VJ: Hospital stay and discharge outcomes after knee arthroplasty: Implications for physiotherapy practice. 48: 117-121.

P

Paratz J: See Chang A et al

Parry S: See Refshauge KM et al

Parsons D: See Pontifex E et al

Pontifex E, Williams MT, Lunn R and Parsons D: The effect of huffing and directed coughing on energy expenditure in young asymptomatic subjects. 48: 209-213.

R

Refshauge KM, Parry S, Shirley D, Larsen D, Rivett DA and Boland R: Professional responsibility in relation to cervical spine manipulation. 48: 171-179.

Refshauge KM, Parry S, Shirley D, Larsen D, Rivett DA and Boland R: Professional responsibility means responding professionally. Response to comment by Jull et al. 48: 183-185.

Richards M: See Low Choy N et al

Rivett D: See Crosbie J et al

Rivett DA: See Refshauge KM et al

Robertson VJ: See Oldmeadow LB et al

Robertson VJ: See Laakso et al

Robertson VJ: See Cromie JE et al

Rollston J: See Chang A et al

Ruston S: See Crosbie J et al

S

Schonstein E, Kenny DT and Maher CG: WorkCover's physiotherapy forms: Purpose beyond paperwork? 48: 221-225.

Sheppard L: See Crosbie J et al

Sherrington C: See Moseley AM et al

Shirley D: See Refshauge KM et al

Smerdely P: See Barrett C and Smerdely P

Starkey I: See Maher CG et al

Stiller K: See Jesudason C and Stiller K

Sullivan J: See Crosbie J et al

T

Trott P: See Gordon SJ et al

Turner P: Multidimensional scaling analysis of techniques used by physiotherapists in Southeast Australia: A cross-national replication. 48: 123-130.

V

Van Der Weyden M: Editorial: Editorial independence is built on trust and communication. 48:167-168.

Vujnovich A: See Crosbie J et al

W

Webb G: See Crosbie J et al

Wilkinson E: See Fowler B et al

Williams MT: See Pontifex E et al

Wright T: See Crosbie J et al

SUBJECT INDEX

Aged

Barrett C and Smerdely P: A comparison of community-based resistance exercise and flexibility exercise for seniors. 48: 215-219.

Age Factors

Gordon SJ, Trott P and Grimmer KA: Waking cervical pain and stiffness, headache, scapular or arm pain: Gender and age effects. 48: 9-15.

Anti-Inflammatory Agents

Grimmer K, Kumar S, Gilbert A and Milanese S: Non-steroidal anti-inflammatory drugs (NSAIDs): Physiotherapists' use, knowledge and attitudes. 48: 82-92.

Arthroplasty

Jesudason C and Stiller K: Are bed exercises necessary following hip arthroplasty? 48: 73-81.

Oldmeadow LB, McBurney H and Robertson VJ: Hospital stay and discharge outcomes after knee arthroplasty: Implications for physiotherapy practice. 48: 117-121.

Brain Injuries

Low Choy N, Kuys S, Richards M and Isles R: Measurement of functional ability following traumatic brain injury using the Clinical Outcomes Variable Scale: A reliability study. 48: 35-39.

Cerebrovascular Disorders

Ada L and Foongchomcheay: Efficacy of electrical stimulation in preventing or reducing subluxation of the shoulder after stroke: A meta-analysis. 48: 257-267.

Cervical Spine

Jull G: Use of high and low velocity cervical manipulative therapy procedures by Australian manipulative physiotherapists. 48: 189-193.

Cervical Vertebrae

Gordon SJ, Trott P and Grimmer KA: Waking cervical pain and stiffness, headache, scapular or arm pain: Gender and age effects. 48: 9-15.

Refshauge KM, Parry S, Shirley D, Larsen D, Rivett DA and Boland R: Professional responsibility in relation to cervical spine manipulation. 48: 171-179.

Client-Centred Care

Litchfield R and MacDougall C: Professional issues for physiotherapists in family-centred and community-based settings. 48: 105-112.

Communication

Schonstein E, Kenny DT and Maher CG: WorkCover's physiotherapy forms: Purpose beyond paperwork? 48: 221-225.

Cough

Pontifex E, Williams MT, Lunn R and Parsons D: The effect of huffing and directed coughing on energy expenditure in young asymptomatic subjects. 48: 209-213.

Badr C, Elkins MR and Ellis ER: The effect of body position on maximal expiratory pressure and flow. 48: 95-102.

Diagnosis

Davidson M: The interpretation of diagnostic tests: A primer for physiotherapists. 48: 227-233.

Education

Moseley L: Combined physiotherapy and education is efficacious for chronic low back pain. 48: 297-302.

Electrical Stimulation Therapy

Ada L and Foongchomcheay: Efficacy of electrical stimulation in preventing or reducing subluxation of the shoulder after stroke: A meta-analysis. 48: 257-267.

Electromyography

Ackermann B, Adams R and Marshall E: The effect of scapula taping on electromyographic activity and musical performance in professional violinists. 48: 197-204.

Energy Metabolism

Pontifex E, Williams MT, Lunn R and Parsons D: The effect of

huffing and directed coughing on energy expenditure in young asymptomatic subjects. 48: 209-213.

Equipment Design

Maier CG, Latimer J and Starkey I: An evaluation of Superthumb and the Kneeshaw device as manual therapy tools. 48: 25-30.

Ethics

Grimmer K, Kumar S, Gilbert A and Milanese S: Non-steroidal anti-inflammatory drugs (NSAIDs): Physiotherapists' use, knowledge and attitudes. 48: 82-92.

Ethics, Medical

Refshauge KM, Parry S, Shirley D, Larsen D, Rivett DA and Boland R: Professional responsibility in relation to cervical spine manipulation. 48: 171-179.

Evidence-Based Medicine

Moseley AM, Herbert RD, Sherrington C and Maher CG: Evidence for physiotherapy practice: A survey of the Physiotherapy Evidence Database (PEDro). 48: 43-49.

Exercise

Barrett C and Smerdely P: A comparison of community-based resistance exercise and flexibility exercise for seniors. 48: 215-219.

Fowler B, Jamrozik K, Norman P, Allen Y and Wilkinson E: Improving maximum walking distance in early peripheral arterial disease: Randomised controlled trial. 48: 269-275.

Moseley L: Combined physiotherapy and education is efficacious for chronic low back pain. 48: 297-302.

Exercise Therapy

Turner P: Multidimensional scaling analysis of techniques used by physiotherapists in Southeast Australia: A cross-national replication. 48: 123-130.

Forefoot, Human

Glase WM, Allen MK and Ludewig PM: Measuring forefoot alignment with a table-mounted goniometric device. 48: 51-53.

Hand

Hwang R, Kentish M and Burns Y: Hand positioning sense in children with spina bifida myelomeningocele. 48: 17-22.

Maier CG, Latimer J and Starkey I: An evaluation of Superthumb and the Kneeshaw device as manual therapy tools. 48: 25-30.

Gordon SJ, Trott P and Grimmer KA: Waking cervical pain and stiffness, headache, scapular or arm pain: Gender and age effects. 48: 9-15.

Head Injuries, Closed

Chang A, Paratz J and Rollston J: Ventilatory effects of neurophysiological facilitation and passive movement in patients with neurological injury. 48: 305-310.

Hemiplegia

Ada L and Foongchomcheay: Efficacy of electrical stimulation in preventing or reducing subluxation of the shoulder after stroke: A meta-analysis. 48: 257-267.

Hip Joint

Jesudason C and Stiller K: Are bed exercises necessary following hip arthroplasty? 48: 73-81.

Hydrotherapy

Cromie JE, Robertson VJ and Best MO: Occupational health in physiotherapy: General health and reproductive outcomes. 48: 287-294.

Intervention Studies

Davidson M: The interpretation of diagnostic tests: A primer for physiotherapists. 48: 227-233.

Kinesthesia

Hwang R, Kentish M and Burns Y: Hand positioning sense in children with spina bifida myelomeningocele. 48: 17-22.

Knee

Oldmeadow LB, McBurney H and Robertson VJ: Hospital stay and discharge outcomes after knee arthroplasty: Implications for physiotherapy practice. 48: 117-121.

Legislation, Medical

Grimmer K, Kumar S, Gilbert A and Milanese S: Non-steroidal anti-inflammatory drugs (NSAIDs): Physiotherapists' use, knowledge and attitudes. 48: 82-92.

Likelihood Functions

Davidson M: The interpretation of diagnostic tests: A primer for physiotherapists. 48: 227-233.

Low Back Pain

Schonstein E, Kenny DT and Maier CG: WorkCover's physiotherapy forms: Purpose beyond paperwork? 48: 221-225.

Ferreira ML, Ferreira PH, Latimer J, Herbert R and Maier CG: Does spinal manipulative therapy help people with chronic low back pain? 48: 277-284.

Moseley L: Combined physiotherapy and education is efficacious for chronic low back pain. 48: 297-302.

Lung Volume Measurement

Pontifex E, Williams MT, Lunn R and Parsons D: The effect of huffing and directed coughing on energy expenditure in young asymptomatic subjects. 48: 209-213.

Manipulation, Orthopedic

Maier CG, Latimer J and Starkey I: An evaluation of Superthumb and the Kneeshaw device as manual therapy tools. 48: 25-30.

Refshauge KM, Parry S, Shirley D, Larsen D, Rivett DA and Boland R: Professional responsibility in relation to cervical spine manipulation. 48: 171-179.

Jull G: Use of high and low velocity cervical manipulative therapy procedures by Australian manipulative physiotherapists. 48: 189-193.

Ferreira ML, Ferreira PH, Latimer J, Herbert R and Maier CG: Does spinal manipulative therapy help people with chronic low back pain? 48: 277-284.

Maximal Expiratory Flow Rate

Badr C, Elkins MR and Ellis ER: The effect of body position on maximal expiratory pressure and flow. 48: 95-102.

Meningomyelocele

Hwang R, Kentish M and Burns Y: Hand positioning sense in children with spina bifida myelomeningocele. 48: 17-22.

Meta-Analysis

Moseley AM, Herbert RD, Sherrington C and Maier CG: Evidence for physiotherapy practice: A survey of the Physiotherapy Evidence Database (PEDro). 48: 43-49.

Ferreira ML, Ferreira PH, Latimer J, Herbert R and Maier CG: Does spinal manipulative therapy help people with chronic low back pain? 48: 277-284.

Methods

Turner P: Multidimensional scaling analysis of techniques used by physiotherapists in Southeast Australia: A cross-national replication. 48: 123-130.

Music

Ackermann B, Adams R and Marshall E: The effect of scapula taping on electromyographic activity and musical performance in professional violinists. 48: 197-204.

Neck

Jull G: Use of high and low velocity cervical manipulative therapy procedures by Australian manipulative physiotherapists. 48: 189-193.

Neck Pain

Gordon SJ, Trott P and Grimmer KA: Waking cervical pain and stiffness, headache, scapular or arm pain: Gender and age effects. 48: 9-15.

Occupational Health

Cromie JE, Robertson VJ and Best MO: Occupational health in physiotherapy: General health and reproductive outcomes. 48: 287-294.

Outcome Assessment (Health Care)

Low Choy N, Kuys S, Richards M and Isles R: Measurement of functional ability following traumatic brain injury using the Clinical Outcomes Variable Scale: A reliability study. 48: 35-39.

Jesudason C and Stiller K: Are bed exercises necessary following hip arthroplasty? 48: 73-81.

Oldmeadow LB, McBurney H and Robertson VJ: Hospital stay and discharge outcomes after knee arthroplasty: Implications for physiotherapy practice. 48: 117-121.

Patient Care Planning

Schonstein E, Kenny DT and Maher CG: WorkCover's physiotherapy forms: Purpose beyond paperwork? 48: 221-225.

Patient Discharge

Oldmeadow LB, McBurney H and Robertson VJ: Hospital stay and discharge outcomes after knee arthroplasty: Implications for physiotherapy practice. 48: 117-121.

Peak Expiratory Flow Rate

Badr C, Elkins MR and Ellis ER: The effect of body position on maximal expiratory pressure and flow. 48: 95-102.

Peripheral Vascular Diseases

Fowler B, Jamrozik K, Norman P, Allen Y and Wilkinson E: Improving maximum walking distance in early peripheral arterial disease: Randomised controlled trial. 48: 269-275.

Physical Examination

Glaseo WM, Allen MK and Ludewig PM: Measuring forefoot alignment with a table-mounted goniometric device. 48: 51-53.

Physical Fitness

Barrett C and Smerdely P: A comparison of community-based resistance exercise and flexibility exercise for seniors. 48: 215-219.

Physical Stimulation

Chang A, Paratz J and Rollston J: Ventilatory effects of neurophysiological facilitation and passive movement in patients with neurological injury. 48: 305-310.

Physical Therapy

Moseley AM, Herbert RD, Sherrington C and Maher CG: Evidence for physiotherapy practice: A survey of the Physiotherapy Evidence Database (PEDro). 48: 43-49.

Chang A, Paratz J and Rollston J: Ventilatory effects of neurophysiological facilitation and passive movement in patients with neurological injury. 48: 305-310.

Posture

Badr C, Elkins MR and Ellis ER: The effect of body position on maximal expiratory pressure and flow. 48: 95-102.

Proprioception

Hwang R, Kentish M and Burns Y: Hand positioning sense in children with spina bifida myelomeningocele. 48: 17-22.

Quality of Health Care

Litchfield R and MacDougall C: Professional Issues for physiotherapists in family-centred and community-based settings. 48: 105-112.

Quality of Life

Barrett C and Smerdely P: A comparison of community-based resistance exercise and flexibility exercise for seniors. 48: 215-219.

Questionnaire

Grimmer K, Kumar S, Gilbert A and Milanese S: Non-steroidal anti-inflammatory drugs (NSAIDs): Physiotherapists' use, knowledge and attitudes. 48: 82-92.

Turner P: Multidimensional scaling analysis of techniques used by physiotherapists in Southeast Australia: A cross-national replication. 48: 123-130.

Radiation Effects

Cromie JE, Robertson VJ and Best MO: Occupational health in physiotherapy: General health and reproductive outcomes. 48: 287-294.

Randomized Controlled Trials

Moseley AM, Herbert RD, Sherrington C and Maher CG: Evidence for physiotherapy practice: A survey of the Physiotherapy Evidence Database (PEDro). 48: 43-49.

Jesudason C and Stiller K: Are bed exercises necessary following hip arthroplasty? 48: 73-81.

Fowler B, Jamrozik K, Norman P, Allen Y and Wilkinson E: Improving maximum walking distance in early peripheral arterial disease: Randomised controlled trial. 48: 269-275.

Moseley L: Combined physiotherapy and education is efficacious for chronic low back pain. 48: 297-302.

Range of Motion, Articular

Glaseo WM, Allen MK and Ludewig PM: Measuring forefoot alignment with a table-mounted goniometric device. 48: 51-53.

Rehabilitation

Low Choy N, Kuys S, Richards M and Isles R: Measurement of functional ability following traumatic brain injury using the Clinical Outcomes Variable Scale: A reliability study. 48: 35-39.

Reproducibility of Results

Low Choy N, Kuys S, Richards M and Isles R: Measurement of functional ability following traumatic brain injury using the Clinical Outcomes Variable Scale: A reliability study. 48: 35-39.

Research

Litchfield R and MacDougall C: Professional issues for physiotherapists in family-centred and community-based settings. 48: 105-112.

Respiratory Disorders

Pontifex E, Williams MT, Lunn R and Parsons D: The effect of huffing and directed coughing on energy expenditure in young asymptomatic subjects. 48: 209-213.

Respiratory Mechanics

Chang A, Paratz J and Rollston J: Ventilatory effects of neurophysiological facilitation and passive movement in patients with neurological injury. 48: 305-310.

Scapula

Ackermann B, Adams R and Marshall E: The effect of scapula taping on electromyographic activity and musical performance in professional violinists. 48: 197-204.

Sensitivity and Specificity

Davidson M: The interpretation of diagnostic tests: A primer for physiotherapists. 48: 227-233.

Sex Factors

Gordon SJ, Trott P and Grimmer KA: Waking cervical pain and stiffness, headache, scapular or arm pain: Gender and age effects. 48: 9-15.

Shoulder Dislocation

Ada L and Foongchomcheay: Efficacy of electrical stimulation in preventing or reducing subluxation of the shoulder after stroke: A meta-analysis. 48: 257-267.

Skin Diseases

Cromie JE, Robertson VJ and Best MO: Occupational health in physiotherapy: General health and reproductive outcomes. 48: 287-294.

Smoking Cessation

Fowler B, Jamrozik K, Norman P, Allen Y and Wilkinson E: Improving maximum walking distance in early peripheral arterial disease: Randomised controlled trial. 48: 269-275.

Specialism

Turner P: Multidimensional scaling analysis of techniques used by physiotherapists in Southeast Australia: A cross-national replication. 48: 123-130.

Spine

Jull G: Use of high and low velocity cervical manipulative therapy procedures by Australian manipulative physiotherapists. 48: 189-193.

Ferreira ML, Ferreira PH, Latimer J, Herbert R and Maher CG: Does spinal manipulative therapy help people with chronic low back pain? 48: 277-284.

Workers' Compensation

Schonstein E, Kenny DT and Maher CG: WorkCover's physiotherapy forms: Purpose beyond paperwork? 48: 221-225.